

03.08.2022

PHOENIX TESTLAB GmbH Königswinkel 10, 32825 Blomberg

| Depart ment | Standard / in house procedure / Version | Title of standard or in house procedure (deviations / modifications of standard) | Test area / reductions | | |
|---|---|---|--|--|--|
| | 1.1.1 Radionavigation Service* | | | | |
| TK | IEC 61993-2 Edition 3 (2018-07) | Maritime navigation and radiocommunication equipment and systems –Automatic identification systems (AIS) – Part 2: Class A shipborne equipment of the automatic identification system (AIS) – Operational and performance requirements, methods of test and required test results | clause 15 (Physical tests) and Annex C2 (DSC receiver tests) only | | |
| 1.1.2 Land Mobile Service and Marine Radio Equipment* | | | | | |
| TK | ETSI EN 300 113 V3.1.1 (2020-06) | Land Mobile Service; Radio equipment intended for the transmission of data(and/or speech) using constant or non-constantenvelope modulation and having an antenna connector | | | |



03 08 2022

| Depart ment | Standard / in house procedure / Version | Title of standard or in house procedure (deviations / modifications of standard) | Test area / reductions | |
|----------------|---|--|---------------------------|--|
| | 1.1.3 Pager | | | |
| EMC | ETSI EN 301 489-2 V2.1.1(2019-04)* | ElectroMagnetic Compatibility (EMC)standard for radio equipment and services;Part 2: Specific conditions for radio paging equipment;Harmonised Standard covering the essential requirementsof article 3.1(b) of Directive 2014/53/EU | | |



| Depart ment | Standard / in house procedure / Version | Title of standard or in house procedure (deviations / modifications of standard) | Test area / reductions | |
|----------------|---|--|------------------------|--|
| | 1.1.4 Private Radio* | | | |
| TK | ETSI EN 301 091-1 V2.1.1 (2017-01) | Short Range Devices; Transport and Traffic Telematics (TTT); Radar equipment operating in the 76 GHz to 77 GHz range; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU; Part 1: Ground based vehicular radar | | |
| TK | ETSI EN 301 091-2 V2.1.1 (2017-01) | Short Range Devices; Transport and Traffic Telematics (TTT); Radar equipment operating in the 76 GHz to 77 GHz range; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU; Part 2: Fixed infrastructure radar equipment | | |
| EMC | ETSI EN 301 489-4 V3.2.1 (2019-04) | ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 4: Specific conditions for fixed radio links and ancillary equipment; Harmonised Standard covering the essential requirements of article 3.1(b) of Directive 2014/53/EU | | |
| EMC | ETSI EN 301 489-4 V3.3.1 (2021-02) | ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 4: Specific conditions for fixed radio links and ancillary equipment; Harmonised Standard for ElectroMagnetic Compatibili | | |
| EMC | ETSI EN 301 489-15 V2.2.1 (2019-04) | ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 15: Specific conditions for commercially available amateur radio equipment; Harmonised Standard covering the essential requirements of article 3.1(b) of Directive 2014/53/EU | | |
| EMC | ETSI EN 301 489-17 V3.2.4 (2020-09) | ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 17: Specific conditions for Broadband Data Transmission Systems; Harmonised Standard for ElectroMagnetic Compatibility | | |



| Depart ment | Standard / in house procedure / Version | Title of standard or in house procedure (deviations / modifications of standard) | Test area / reductions |
|----------------|---|---|------------------------|
| EMC | ETSI EN 301 489-51 V2.1.1 (2019-04 | ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 51: Specific conditions for Automotive, Ground based Vehicles and Surveillance Radar Devices using 24,05 GHz to 24,25 GHz, 24,05 GHz to 24,5 GHz, 76 GHz to 77 GHz and 77 GHz to 81 GHz; Harmonised Standard covering the essential requirements of article 3.1(b) of Directive 2014/53/EU | |
| TK | ETSI EN 302 208 V3.3.1 (2020-08) | Radio Frequency Identification Equipment operating in theband 865 MHz to 868 MHz with power levels up to 2 W and in the band 915 MHz to 921 MHz with power levels up to 4 W; Harmonised Standard for access to radio spectrum | |
| TK | ETSI EN 302 536 V2.1.1 (2017-10) | Short Range Devices (SRD); Radio equipment operating in the frequency range 315 kHz to 600 kHz for Ultra Low Power Animal Implantable Devices (ULP-AID) and associated peripherals; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU | |



| Depart ment | Standard / in house procedure / Version | Title of standard or in house procedure (deviations / modifications of standard) | Test area / reductions | | |
|----------------|---|---|--|--|--|
| 1.1.5 | 1.1.5 DECT | | | | |
| EMC | ETSI EN 301 489-6 V2.2.1 (2019-04) | ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 6: Specific conditions for Digital Enhanced Cordless Telecommunications (DECT) equipment; Harmonised Standard covering the essential requirements of article 3.1(b) of Directive 2014/53/EU | | | |
| 1.1.6 Cel | lular Radio Communicati | on | | | |
| EMC | ETSI EN 301 489-52 V1.1.2 (2020-12) | ElectroMagnetic Compatibility (EMC)standard for radio equipment and services; Part 52: Specific conditions for Cellular Communication User Equipment (UE) radio and ancillary equipment; Harmonised Standard for ElectroMagnetic Compatibility | Basestationsimulator for 5G NR has to be provides externally | | |
| TK | ETSI EN 301 908-1 V13.1.1 (2019-11) | IMT cellular networks; Harmonised Standard for access to radio spectrum; Part 1: Introduction and common requirements | | | |



| Depart ment | Standard / in house procedure / Version | Title of standard or in house procedure (deviations / modifications of standard) | Test area / reductions | | |
|----------------------------|---|--|---------------------------|--|--|
| 1.2 Japanese Requirements* | | | | | |
| TK | ARIB STD-T106 Version 1.1 2017-10 | 920MHz-BAND RFID EQUIPMENT FOR PREMISES RADIO STATION | | | |